

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit IV

Effective March 1, 2006

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	5.63	1000	1.52	0.20	2001	5.76	1000	1.60	0.21	2651	3.24	1000	0.89	0.21
0008	5.65	1000	1.47	0.19	2002	8.83	1000	2.41	0.20	2660	4.03	1000	1.15	0.22
0016	12.40	1000	3.26	0.19	2003	4.01	1000	1.03	0.19	2670	3.61	1000	1.04	0.22
0034	8.02	1000	2.17	0.20	2014	10.43	1000	2.57	0.18	2683	6.56	1000	1.79	0.21
0035	5.03	1000	1.39	0.21	2016	5.57	1000	1.49	0.19	2688	4.45	1000	1.23	0.21
0036	9.49	1000	2.41	0.18	2021	7.44	1000	1.95	0.18	2702X*	47.66	1000	11.81	0.17
0037	10.97	1000	2.75	0.18	2039	8.89	1000	2.45	0.21	2705X*	127.36	1000	29.17	0.14
0042	13.86	1000	3.71	0.20	2041	5.36	1000	1.47	0.21	2710X	14.13	1000	3.47	0.18
0050	14.63	1000	3.55	0.16	2065	4.97	1000	1.33	0.19	2714	11.72	1000	3.04	0.18
0059D	0.60	-	0.07	0.17	2070	9.33	1000	2.44	0.19	2719X	23.64	1000	5.68	0.17
0065D	0.10	-	0.01	0.18	2081	10.31	1000	2.86	0.22	2731	6.23	1000	1.67	0.20
0066D	0.10	-	0.01	0.21	2089	6.02	1000	1.70	0.22	2735	7.42	1000	2.07	0.21
0067D	0.10	-	0.01	0.19	2095	8.17	1000	2.24	0.21	2759	11.47	1000	3.23	0.22
0079	5.19	1000	1.23	0.16	2105	6.46	1000	1.79	0.21	2790	2.85	920	0.78	0.20
0083	11.76	1000	3.11	0.19	2110	4.05	1000	1.10	0.20	2802	10.91	1000	2.85	0.19
0106	37.54	1000	9.28	0.19	2111	3.18	997	0.86	0.20	2804X	4.28	1000	1.07	0.17
0113	8.60	1000	2.25	0.19	2112	4.67	1000	1.26	0.21	2812	8.21	1000	2.28	0.21
0170	8.85	1000	2.33	0.20	2114	8.31	1000	2.37	0.22	2835	3.45	1000	0.99	0.22
0251	8.71	1000	2.35	0.19	2121	4.49	1000	1.18	0.19	2836	6.15	1000	1.69	0.21
0400	16.23	1000	4.55	0.22	2130	7.62	1000	2.00	0.19	2841	12.69	1000	3.58	0.22
0401	19.61	A	4.66	0.17	2131	4.42	1000	1.22	0.21	2881	7.29	1000	2.12	0.23
0771N	1.52	-	-	-	2143	5.17	1000	1.38	0.20	2883	12.15	1000	3.30	0.20
0908P	199.00	449	55.90	0.22	2150	-	-	3.20	0.18	2913	5.46	1000	1.61	0.23
0909P	214.00	464	56.60	0.19	2156	8.27	1000	2.13	0.18	2915	6.34	1000	1.69	0.19
0912P	721.00	971	191.58	0.19	2157	8.27	1000	2.13	0.18	2916	4.99	1000	1.29	0.19
0913P	605.00	855	160.36	0.19	2172	4.74	1000	1.20	0.17	2923	4.36	1000	1.23	0.22
0917	9.72	1000	2.88	0.24	2174	5.73	1000	1.55	0.19	2942	5.82	1000	1.69	0.22
1005*	12.72	1000	1.42	0.15	2211	13.32	1000	3.40	0.19	2960	10.08	1000	2.58	0.18
1016*	64.94	1000	12.21	0.15	2220	3.99	1000	1.03	0.18	3004	6.86	1000	1.71	0.18
1164E	15.81	1000	3.44	0.15	2286	4.28	1000	1.14	0.20	3018	8.08	1000	2.13	0.19
1165E	6.75	1000	1.55	0.15	2288	5.94	1000	1.55	0.19	3022	10.74	1000	2.84	0.20
1320	5.63	1000	1.32	0.16	2300	5.09	1000	1.41	0.20	3027	6.15	1000	1.71	0.21
1322	26.95	1000	6.60	0.17	2302	4.09	1000	1.09	0.19	3028	5.84	1000	1.53	0.19
1430	12.49	1000	3.13	0.19	2305	4.32	1000	1.14	0.19	3030	9.41	1000	2.32	0.18
1438	8.19	1000	2.04	0.19	2361	4.53	1000	1.26	0.21	3040	9.29	1000	2.38	0.19
1452	3.78	1000	0.93	0.17	2362	3.53	1000	0.95	0.20	3041	7.31	1000	1.95	0.19
1463	26.90	1000	6.55	0.18	2380	5.84	1000	1.59	0.20	3042	4.47	1000	1.23	0.20
1472	9.35	1000	2.17	0.16	2386	7.85	1000	2.02	0.19	3064	12.36	1000	3.19	0.19
1473X	5.21	1000	1.40	0.21	2388	7.48	1000	1.92	0.18	3066	6.05	1000	1.65	0.20
1624E	7.56	1000	1.80	0.17	2402	5.46	1000	1.42	0.20	3076	5.13	1000	1.44	0.22
1642	9.16	1000	2.20	0.17	2413	4.22	1000	1.17	0.21	3081DX	5.79	1000	1.44	0.19
1654	12.38	1000	3.10	0.18	2416	4.22	1000	1.16	0.21	3082D	14.30	1000	3.37	0.18
1655	8.93	1000	2.08	0.16	2417	4.15	1000	1.09	0.19	3085DX	6.38	1000	1.64	0.21
1699	3.93	1000	0.96	0.17	2501	3.95	1000	1.12	0.22	3110	6.84	1000	1.86	0.20
1701	6.38	1000	1.58	0.18	2503	3.26	1000	0.86	0.19	3111	10.84	1000	2.91	0.18
1710E	26.84	1000	5.46	0.10	2534	5.63	1000	1.58	0.22	3113	3.61	1000	0.99	0.20
1741E	5.42	1000	1.14	0.17	2570	10.97	1000	3.13	0.22	3114	10.70	1000	2.73	0.20
1747	5.11	1000	1.22	0.16	2576	-	-	1.12	0.22	3118	5.82	1000	1.56	0.19
1748	6.98	1000	1.90	0.22	2578	-	-	1.12	0.22	3119	2.49	835	0.70	0.22
1803D	12.40	1000	2.96	0.20	2585	13.69	1000	3.71	0.21	3122	4.03	1000	1.06	0.19
1852D	5.40	1000	1.33	0.18	2586	4.15	1000	1.13	0.22	3126	7.58	1000	1.98	0.19
1853	8.81	1000	2.35	0.20	2587	3.62	1000	1.02	0.22	3131	3.26	1000	0.86	0.19
1860	3.43	1000	0.90	0.19	2589	2.72	889	0.74	0.20	3132	6.42	1000	1.77	0.22
1924	3.41	1000	0.94	0.21	2600	4.57	1000	1.19	0.19	3145	4.40	1000	1.24	0.22
1925	6.42	1000	1.68	0.20	2623	5.82	1000	1.56	0.20	3146	4.03	1000	1.10	0.20

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit IV

Effective March 1, 2006

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3169	5.38	1000	1.50	0.21	3826	1.70	650	0.44	0.19	4493	8.81	1000	2.21	0.17
3175D	4.47	1000	1.18	0.20	3827	2.81	910	0.79	0.21	4511	2.16	758	0.55	0.18
3179	4.22	1000	1.12	0.19	3830	4.97	1000	1.18	0.17	4557	9.20	1000	2.46	0.20
3180	5.61	1000	1.53	0.20	3851	8.64	1000	2.51	0.23	4558	3.22	1000	0.86	0.20
3188	3.93	1000	1.08	0.21	3865	4.11	1000	1.19	0.23	4561	5.73	1000	1.39	0.15
3220	3.20	1000	0.83	0.19	3881	8.04	1000	2.13	0.19	4568	5.75	1000	1.37	0.17
3223	7.92	1000	2.19	0.21	4000	11.95	1000	2.90	0.17	4581	3.43	1000	0.81	0.18
3224	9.27	1000	2.55	0.20	4021	8.62	1000	2.24	0.19	4583	6.13	1000	1.57	0.19
3227	5.80	1000	1.55	0.20	4024E	6.61	1000	1.58	0.17	4585X	3.22	1000	0.76	0.16
3240	3.70	1000	0.99	0.20	4034	12.45	1000	3.18	0.20	4586X	3.03	962	0.87	0.23
3241	5.42	1000	1.46	0.20	4036	6.86	1000	1.74	0.19	4611	2.01	722	0.55	0.21
3255	3.88	1000	1.11	0.21	4038	5.44	1000	1.53	0.22	4635	6.17	1000	1.46	0.18
3257	6.19	1000	1.63	0.19	4053	6.23	1000	1.64	0.19	4653	3.70	1000	0.98	0.19
3270	3.86	1000	1.03	0.20	4061	6.69	1000	1.75	0.18	4665	9.89	1000	2.32	0.16
3300	6.73	1000	1.83	0.19	4062	4.69	1000	1.26	0.20	4670	11.22	1000	2.73	0.18
3303	6.25	1000	1.72	0.21	4101	5.82	1000	1.38	0.16	4683	6.86	1000	2.04	0.24
3307	6.34	1000	1.62	0.18	4111	4.97	1000	1.37	0.21	4686	2.56	852	0.66	0.20
3315	5.84	1000	1.63	0.21	4112	2.49	835	0.67	0.20	4692	0.98	480	0.28	0.22
3334	6.11	1000	1.53	0.16	4113	5.82	1000	1.54	0.19	4693	2.24	776	0.67	0.24
3336	5.09	1000	1.39	0.21	4114	5.61	1000	1.53	0.20	4703	3.49	1000	0.93	0.19
3365	16.21	1000	4.00	0.18	4130	7.60	1000	2.07	0.20	4717	7.13	1000	2.03	0.21
3372	6.73	1000	1.83	0.22	4131	4.92	1000	1.30	0.19	4720	4.32	1000	1.20	0.22
3373	8.37	1000	2.19	0.18	4133	8.50	1000	2.34	0.21	4740	3.24	1000	0.76	0.16
3383	3.05	967	0.86	0.22	4150	1.91	699	0.55	0.22	4741	6.02	1000	1.80	0.23
3385	2.66	875	0.73	0.20	4206	7.87	1000	2.09	0.19	4751	3.14	988	0.85	0.21
3400	4.67	1000	1.30	0.21	4207	4.51	1000	1.16	0.18	4771N	8.58	1000	1.88	0.17
3507	7.29	1000	1.83	0.17	4239	4.88	1000	1.20	0.18	4777	8.52	1000	2.07	0.17
3515	5.51	1000	1.51	0.20	4240	6.21	1000	1.72	0.21	4825	1.93	704	0.50	0.20
3548	4.28	1000	1.10	0.18	4243	3.28	1000	0.90	0.20	4828	3.55	1000	0.85	0.18
3559	4.76	1000	1.28	0.20	4244	3.43	1000	0.91	0.19	4829	1.81	675	0.43	0.16
3574	2.37	807	0.66	0.22	4250	3.51	1000	0.96	0.21	4902	4.97	1000	1.44	0.23
3581	3.80	1000	1.06	0.22	4251	3.01	957	0.83	0.21	4923	2.66	875	0.72	0.20
3612	4.76	1000	1.25	0.20	4263	4.36	1000	1.17	0.20	5020	10.87	1000	2.76	0.18
3620X	10.28	1000	2.48	0.17	4273	4.88	1000	1.43	0.23	5022	9.64	1000	2.44	0.18
3629	3.88	1000	1.02	0.19	4279	4.51	1000	1.20	0.20	5037	38.00	1000	8.65	0.16
3632X	5.30	1000	1.40	0.19	4282	4.24	1000	1.19	0.21	5040	35.55	1000	7.75	0.15
3634	3.95	1000	1.10	0.21	4283	16.18	1000	4.06	0.18	5057	29.83	1000	6.55	0.16
3635	5.34	1000	1.45	0.20	4299	5.01	1000	1.35	0.20	5059	50.51	1000	11.11	0.16
3638	3.78	1000	1.02	0.20	4304	7.96	1000	2.06	0.19	5069	139.09	1000	29.55	0.13
3639X	4.51	1000	1.25	0.20	4307	3.07	971	0.86	0.21	5102	13.57	1000	3.16	0.17
3642	2.37	807	0.64	0.20	4308	-	-	1.35	0.20	5146	10.43	1000	2.58	0.18
3643	10.33	1000	2.86	0.21	4351	1.48	598	0.40	0.19	5160	6.67	1000	1.59	0.17
3647	3.70	1000	0.99	0.20	4352	4.43	1000	1.31	0.24	5183	8.27	1000	2.03	0.18
3648	5.22	1000	1.45	0.22	4360	2.16	758	0.58	0.20	5188	10.91	1000	2.65	0.17
3681	2.68	880	0.77	0.23	4361	3.16	993	0.84	0.20	5190	6.57	1000	1.63	0.18
3685	4.11	1000	1.18	0.23	4362	2.02	725	0.52	0.19	5191	2.80	908	0.69	0.19
3719	4.63	1000	1.07	0.15	4410	8.46	1000	2.26	0.20	5192	10.97	1000	2.94	0.20
3724	11.51	1000	2.79	0.17	4420	31.45	1000	7.79	0.18	5213	11.49	1000	2.87	0.18
3726	12.84	1000	2.86	0.16	4431	2.95	943	0.83	0.21	5215	8.66	1000	2.39	0.20
3803	5.42	1000	1.37	0.17	4432	3.30	1000	0.95	0.22	5221	8.98	1000	2.15	0.17
3807	4.84	1000	1.36	0.21	4439	4.95	1000	1.31	0.20	5222	31.81	1000	7.19	0.17
3808	4.20	1000	1.22	0.22	4452	5.30	1000	1.41	0.20	5223	10.49	1000	2.67	0.19
3821	8.89	1000	2.29	0.20	4459	5.03	1000	1.32	0.19	5348	10.22	1000	2.61	0.19
3822	6.69	1000	1.84	0.21	4470	7.60	1000	2.04	0.21	5402	12.03	1000	2.99	0.16
3824	5.75	1000	1.51	0.18	4484	6.57	1000	1.76	0.20	5403	23.21	1000	5.66	0.18

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit IV

Effective March 1, 2006

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5437	12.84	1000	3.25	0.18	6826F	12.98	1000	2.91	0.15	7425	28.71	1000	5.46	0.10
5443	7.40	1000	1.89	0.17	6827FX	43.69	1000	9.28	0.13	7431N	4.15	1000	0.85	0.12
5445	18.51	1000	4.41	0.17	6829FX	13.92	1000	3.17	0.14	7445N	0.96	-	-	-
5462	15.13	1000	3.76	0.18	6834	7.87	1000	2.00	0.20	7453N	2.24	-	-	-
5472	15.10	1000	3.57	0.17	6836	7.56	1000	1.96	0.20	7502	3.55	1000	0.90	0.19
5473	10.68	1000	2.76	0.19	6837X	7.17	1000	1.52	0.10	7515	2.83	915	0.65	0.17
5474	14.52	1000	3.55	0.18	6843F	30.60	1000	6.73	0.15	7520	8.39	1000	2.05	0.18
5478	9.12	1000	2.23	0.17	6845F	34.45	1000	7.47	0.17	7538	28.36	1000	6.31	0.17
5479	18.03	1000	4.43	0.18	6854	12.34	1000	3.17	0.20	7539	3.82	1000	0.89	0.16
5480	35.36	1000	8.30	0.19	6872F	27.71	1000	6.43	0.15	7540	6.63	1000	1.54	0.18
5491	4.72	1000	1.18	0.18	6874F	42.45	1000	9.25	0.14	7580	4.97	1000	1.26	0.19
5506	11.90	1000	2.92	0.19	6882	5.82	1000	1.42	0.18	7590	6.23	1000	1.76	0.22
5507	11.38	1000	2.78	0.17	6884	14.86	1000	3.54	0.16	7600	6.75	1000	1.67	0.19
5508D	21.13	1000	4.87	0.16	7016M	14.21	1000	3.37	0.17	7601	12.07	1000	2.92	0.16
5536	-	-	3.20	0.18	7024M	15.79	1000	3.74	0.17	7605	4.63	1000	1.17	0.19
5537	12.94	1000	3.20	0.18	7038M	11.32	1000	2.59	0.16	7610	0.75	426	0.19	0.18
5538	19.67	1000	4.78	0.18	7046M	17.35	1000	4.53	0.21	7611	8.37	1000	2.10	0.19
5551	35.09	1000	8.49	0.18	7047M	27.53	1000	6.02	0.17	7612	22.06	1000	4.86	0.13
5606	6.02	1000	1.41	0.17	7050M	21.92	1000	4.62	0.16	7613	11.05	1000	2.57	0.16
5610	11.43	1000	3.07	0.20	7090M	12.57	1000	2.87	0.16	7704	12.05	1000	2.96	0.20
5645	20.69	1000	5.01	0.17	7098M	19.28	1000	5.03	0.21	7720	6.50	1000	1.69	0.21
5651	15.56	1000	3.93	0.19	7099M	33.62	1000	8.10	0.21	7855	18.34	1000	4.41	0.17
5703	61.87	1000	16.32	0.20	7133	13.52	1000	3.47	0.20	8001	4.32	1000	1.20	0.21
5705	9.51	1000	2.37	0.18	7151M	16.43	1000	4.22	0.20	8002	5.78	1000	1.50	0.19
5951	1.52	607	0.39	0.19	7152M	31.81	1000	7.54	0.20	8006	5.90	1000	1.65	0.21
6003	24.87	1000	5.89	0.17	7153M	18.24	1000	4.69	0.20	8008	3.35	1000	0.92	0.21
6005	13.50	1000	3.15	0.15	7222	9.25	1000	2.28	0.17	8010	2.99	953	0.81	0.21
6017	14.98	1000	3.67	0.17	7228	14.29	1000	3.48	0.17	8013	0.94	471	0.26	0.19
6018	2.81	910	0.71	0.17	7229	12.92	1000	3.13	0.17	8015	1.33	563	0.37	0.21
6045	7.33	1000	1.79	0.18	7230	7.29	1000	1.78	0.18	8017	3.99	1000	1.08	0.20
6204	17.22	1000	4.39	0.19	7231	11.84	1000	3.12	0.20	8018	6.34	1000	1.68	0.19
6206	12.71	1000	2.80	0.15	7232	7.98	1000	2.00	0.17	8021	5.75	1000	1.54	0.20
6213	9.89	1000	2.35	0.15	7309F	38.21	1000	8.83	0.13	8031	4.92	1000	1.32	0.20
6214	4.67	1000	1.12	0.16	7313F	8.81	1000	2.02	0.13	8032	13.75	1000	4.07	0.24
6216	13.11	1000	3.03	0.15	7317F	27.92	1000	6.05	0.16	8033	4.72	1000	1.29	0.21
6217	12.44	1000	3.07	0.18	7327F	22.08	1000	5.64	0.19	8039	2.99	953	0.81	0.21
6229	12.18	1000	3.19	0.19	7333M	11.93	1000	2.54	0.13	8044	5.49	1000	1.46	0.19
6233	10.22	1000	2.33	0.15	7335M	13.26	1000	2.82	0.13	8045	1.10	509	0.29	0.19
6235	29.25	1000	6.71	0.15	7337M	23.14	1000	4.54	0.13	8046	4.69	1000	1.25	0.20
6236	23.98	1000	5.93	0.17	7350F	72.36	1000	16.57	0.19	8047	2.39	812	0.68	0.23
6237	4.74	1000	1.13	0.16	7360	12.59	1000	2.99	0.17	8050	-	-	1.08	0.20
6251D	16.14	1000	3.43	0.14	7370	7.48	1000	2.03	0.20	8058	4.53	1000	1.21	0.20
6252D	18.84	1000	4.01	0.14	7380	7.06	1000	1.82	0.19	8072	1.54	612	0.44	0.22
6260D	15.23	1000	3.24	0.14	7382	10.01	1000	2.67	0.21	8102	3.70	1000	1.02	0.21
6306	11.90	1000	3.04	0.19	7390	6.84	1000	1.69	0.18	8103	7.75	1000	1.98	0.19
6319	8.97	1000	2.33	0.19	7394M	27.01	1000	5.32	0.11	8105	9.72	1000	2.38	0.15
6325	12.30	1000	3.04	0.18	7395M	30.02	1000	5.92	0.11	8106	9.31	1000	2.40	0.20
6400	15.21	1000	3.83	0.17	7398M	52.35	1000	9.53	0.11	8107	8.00	1000	1.93	0.17
6504	3.51	1000	0.94	0.20	7403	7.79	1000	2.15	0.22	8111	6.67	1000	1.76	0.20
6702M*	22.27	1000	5.35	0.17	7405N	1.77	892	0.45	0.20	8116	7.02	1000	1.80	0.18
6703M*	43.17	1000	9.59	0.17	7409X	47.08	1000	9.21	0.11	8203	12.72	1000	3.20	0.18
6704M*	24.76	1000	5.95	0.17	7420	28.71	1000	5.46	0.10	8204	9.39	1000	2.28	0.17
6801F	13.25	1000	2.99	0.12	7421	9.85	1000	2.26	0.16	8209	9.41	1000	2.56	0.20
6811	8.50	1000	1.95	0.14	7422	4.76	1000	0.97	0.12	8215	6.36	1000	1.58	0.19
6824F	21.03	1000	4.79	0.18	7423X	8.02	1000	1.96	0.19	8227	13.09	1000	3.16	0.17

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit IV

Effective March 1, 2006

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8232X	8.12	1000	2.10	0.20	9012	3.49	1000	0.90	0.20					
8233	14.09	1000	3.39	0.16	9014	5.63	1000	1.54	0.21					
8235	7.54	1000	2.14	0.22	9015	8.75	1000	2.21	0.19					
8263	10.04	1000	2.60	0.18	9016	6.21	1000	1.77	0.22					
8264	10.80	1000	2.80	0.19	9019	6.79	1000	1.63	0.16					
8265	11.65	1000	2.92	0.19	9033	3.78	1000	0.98	0.18					
8279	24.83	1000	6.20	0.19	9040	5.94	1000	1.63	0.21					
8288	11.01	1000	2.89	0.19	9044	2.10	744	0.60	0.23					
8291	13.07	1000	3.47	0.21	9052	4.22	1000	1.20	0.22					
8292	5.51	1000	1.47	0.19	9058	4.84	1000	1.35	0.22					
8293	12.34	1000	3.33	0.20	9059	4.63	1000	1.30	0.22					
8295X	11.61	1000	3.05	0.20	9060	4.13	1000	1.11	0.21					
8304	13.09	1000	3.10	0.16	9061	2.97	948	0.80	0.20					
8350	15.46	1000	3.70	0.18	9062	3.88	1000	1.03	0.20					
8353X	8.89	1000	2.09	0.16	9063	1.74	659	0.45	0.21					
8380	5.90	1000	1.46	0.18	9077F	4.22	1000	1.00	0.11					
8381	3.45	1000	0.96	0.21	9082	3.93	1000	1.11	0.22					
8385	5.82	1000	1.46	0.19	9083	3.32	1000	0.91	0.21					
8392	4.53	1000	1.23	0.21	9084	3.88	1000	1.07	0.21					
8393	3.89	1000	1.00	0.19	9088a	a	a	a	a					
8500	15.96	1000	4.04	0.19	9089	2.97	948	0.77	0.18					
8601	1.99	718	0.48	0.17	9093	3.05	967	0.83	0.20					
8606	11.80	1000	2.89	0.17	9101	8.31	1000	2.28	0.21					
8709F	8.12	1000	2.06	0.18	9102	11.34	1000	2.94	0.19					
8719	3.74	1000	0.93	0.18	9110	3.24	1000	0.91	0.22					
8720	3.55	1000	0.91	0.20	9154	3.78	1000	0.93	0.18					
8721	1.23	539	0.29	0.17	9156	3.89	1000	1.07	0.21					
8726F	12.92	1000	2.79	0.14	9178	49.82	1000	13.93	0.22					
8734M	2.02	725	0.52	0.18	9179	84.89	1000	24.63	0.24					
8737M	1.83	680	0.47	0.18	9180	8.37	1000	2.21	0.20					
8738M	3.55	1000	0.80	0.18	9182	6.11	1000	1.60	0.19					
8742	1.50	603	0.37	0.18	9186	50.96	1000	12.93	0.21					
8745	10.18	1000	2.86	0.22	9220	13.90	1000	3.53	0.18					
8748	1.12	513	0.27	0.18	9402	8.97	1000	2.18	0.18					
8755	0.96	476	0.22	0.15	9403	15.08	1000	3.63	0.17					
8800	2.35	802	0.65	0.21	9410	9.25	1000	2.47	0.20					
8803	0.48	363	0.13	0.22	9501	5.69	1000	1.39	0.16					
8805M	0.94	471	0.25	0.20	9505	7.52	1000	2.10	0.21					
8810	0.69	412	0.19	0.20	9516	5.88	1000	1.44	0.18					
8814M	0.85	450	0.23	0.20	9519	8.25	1000	2.10	0.19					
8815M	1.64	635	0.41	0.20	9521	7.23	1000	1.91	0.20					
8820	0.44	353	0.12	0.20	9522	4.09	1000	1.14	0.21					
8824	5.69	1000	1.63	0.22	9534	11.70	1000	2.71	0.15					
8825	4.11	1000	1.16	0.22	9554	17.76	1000	4.17	0.16					
8826	3.45	1000	0.94	0.20	9586	2.12	748	0.60	0.21					
8829	5.34	1000	1.52	0.22	9600	4.36	1000	1.08	0.16					
8831	3.43	1000	0.91	0.20	9620	2.35	802	0.62	0.21					
8832	0.77	431	0.20	0.21										
8833	1.79	671	0.47	0.19										
8835	5.09	1000	1.34	0.19										
8861	2.64	870	0.75	0.22										
8868	0.75	426	0.21	0.21										
8869	2.18	762	0.59	0.21										
8871	0.64	400	0.18	0.21										
8901	0.94	471	0.24	0.20										

* Refer to the Footnotes Page for additional information on this class code.

Changes Subsequent to Original Printing of *Basic Manual* Pages Effective March 1, 2006

CLASS CODE	RATE	MIN PREM	EXPLANATION
7403	7.96	1000	Effective 7/1/06 per Item B-1399.
7409	-	-	Discontinued 7/1/06 per Item B-1399.
7420	45.50	1000	Effective 7/1/06 per Item B-1399.
7423	-	-	Discontinued 7/1/06 per Item B-1399.

Effective March 1, 2006

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTE

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See Rule 3-A-7 of the Basic Manual.
- E Rate for classification already includes the specific disease loading shown in the table below.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.60	S	1710E	0.21	S	3175D	0.04	S
0065D	0.10	S	1741E	0.52	S	4024E	0.04	S
0066D	0.10	S	1803D	0.54	S	5508D	0.08	S
0067D	0.10	S	1852D	0.10	Asb	6251D	0.10	S
1164E	0.15	S	3081DX	0.06	S	6252D	0.12	S
1165E	0.06	S	3082D	0.21	S	6260D	0.10	S
1624E	0.06	S	3085DX	0.08	S			

Asb=Asbestos, S=Silica

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for federal assessment.
- M Rate provides for coverage under Admiralty Law and Federal Employers' Liability Act (FELA). A provision for the USL& HW assessment is included for those classifications under Program II USL Act.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$6.38. (For coverage written separately for federal benefits only, \$4.17. For coverage written separately for state benefits only, \$2.21.)
- 1016 Rate includes a non-ratable disease element of \$25.55. (For coverage written separately for federal benefits only, \$16.72. For coverage written separately for state benefits only, \$8.83.) Includes a catastrophe loading of \$0.29. Refer to the Manual of Underground Coal Mine Rules, Classifications, and Rates for rules applicable to the use of this classification code.
- 2702 An upset payroll of \$10.00 per cord shall be used for premium computation purposes only when verifiable payroll records are not available.
- 2705 An upset payroll of \$10.00 per cord shall be used for premium computation purposes in all instances.
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.354 and elr x 2.174.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2006

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with the footnote instructions for Code 7370 --

"Taxicab Co.":		
Employee operated vehicle.....		\$44,489.00
Leased or rented vehicle.....		\$29,659.00

Domestic Terrorism, Earthquakes and Catastrophic Industrial Accidents - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$250.00

Foreign Terrorism (Assigned Risk)..... 0.03

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Factor	0.30	LSRP Development Factors	
Minimum Premium Factor	0.75	1st Adjustment	0.24
Maximum Premium Factor	1.75	2nd Adjustment	0.15
Loss Conversion Factor	1.172	3rd Adjustment	0.11
Tax Multiplier	1.059	4th Adjustment	0.00

Maximum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers" and the footnote instructions for Code 9178 -- "Athletic Team: Non-Contact Sports," Code 9179 -- "Athletic Team: Contact Sports," and Code 9186 -- "Carnival--Traveling"..... \$1,800.00

Minimum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers"... \$100.00

Per Passenger Seat Surcharge - In accordance with the footnote instructions for classification Code 7421, the surcharge is
 maximum surcharge per aircraft..... \$1,000.00
 per passenger seat..... \$100.00

Premium Determination for Partners and Sole Proprietors in accordance with **Basic Manual** Rule 2-E-3..... \$27,800.00

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 111%

(Multiply a Non-F classification rate by a factor of 2.11 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (1.90) and the adjustment for differences in loss-based expenses (1.111).)

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$9,000. If more than two years, an average annual premium of at least \$4,500 is required. Page A-1 of the **Experience Rating Plan Manual** should be referenced for the latest approved eligibility amounts by state.